## **DYNAMIX ENDURE**


#### LUXURY VINYL





You don't need to sacrifice performance for a great value floor anymore. Dynamix Endure offers both. Endure is 100% waterproof, extremely heat/cold resistant and will stand up against the wear from a busy family. The floor looks like it was brought indoors from nature. It is ideal for any home or light commercial application.

\*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



# DYNAMIX ENDURE LUXURY VINYL



#### PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (3.5mm SPC + 1mm EVA underlayment)

Wear Layer 0.3mm/12mil

Width 7"

**Thickness** 3/16" / 4.5 MM

Length 48"

**Edge Detail** 4-sided microbevel

Finish Embossed

**Installation** 5Gi push lock click system or floated

Suitable Location On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

**Extreme Temperature Performance** -30°C to 70°C / -22°F to 158°F

Additional Features N/A

Warranty Limited 25-year residential wear, 10-year limited light commercial wear

**Price Range (\$ - \$\$\$)** \$

#### **CARTON SPECS**

Packaging 26 sq./ft. per carton

Weight 41 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:









## **DYNAMIX HARDCORE 3DGE**

FUZION

LUXURY VINYL









A high density, high stability floor with virtually no expansion and no contraction with a 100% waterproof feature suitable for both commercial and residential use. With 3DGE painted bevel technology, your floors will have all the features and visuals for any application.

\*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

## DYNAMIX HARDCORE 3DGE



LUXURY VINYL

#### PRODUCT SPECIFICATIONS

Structure	Engineered luxu	rv vinvl plank	(4.5mm rigid core + :	1.5mm IXPE underlayment)

Wear Layer 0.5mm/20mil

Width 7"

Thickness 1/4" / 6 MM

Length 60"

**Edge Detail** 3DGE painted beveled edges

Finish Embossed

**Installation** I4F push lock click system or floated

Suitable Location On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

**Extreme Temperature Performance** -30°C to 70°C / -22°F to 158°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial wear

**Price Range (\$ - \$\$\$)** \$

#### **CARTON SPECS**

Packaging 17.7 sq./ft. per carton

Weight 34.42 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:











## **DYNAMIX HARDCORE**


LUXURY VINYL





Dynamix HardCore is a high density, high stability floor with virtually no expansion and no contraction with a 100% waterproof feature suitable for both commercial and residential use. It also features a high definition PVC décor film which presents a beautiful natural wood visual.

For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



Spider Silk

# DYNAMIX HARDCORE LUXURY VINYL



#### PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (4mm SPC + 1mm IXPE underlayment)

Wear Layer 0.3 mm / 12mil

**Width** 7 inch / 180 mm

Thickness 3/16" / 5 mm

**Length** 48 inch / 1220 mm

**Edge Detail** 4-sided microbevel

Finish Embossed / Embossed in register (\*)

Installation I4F push lock click system or floated 5G-i Locking System

Suitable Location On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

**Extreme Temperature Performance** -30°C to 70°C / -22°F to 158°F

Additional Features N/A

Warranty Limited 25-year residential wear, 10-year limited light commercial wear


**Price Range (\$ - \$\$\$)** \$

#### **CARTON SPECS**

Packaging 18.91 sq./ft. per carton

Weight 31 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:













## **DYNAMIX LONE STAR**

LUXURY VINYL





Experience America's essence with Dynamix Lone Star, capturing the timeless charm of the Wild West. Our wide planks blend tradition with modern elegance, featuring 3DGE painted beveled edges for a sleek design, With Floorscore certification and a strong warranty, our floors combine style, durability and safety for your space.

'For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.























## DYNAMIX LONE STAR LUXURY VINYL



#### PRODUCT SPECIFICATIONS

Structure Engineered luxury vinyl plank (4.5mm SPC + 1mm IXPE underlayment)

Wear Layer 0.5mm / 20mil

**Width** 7"\* or 9"

Thickness 1/4" / 5.5mm

Length 60"

**Edge Detail** 3DGE painted beveled edges

**Finish** Embossed in register, UV Coating

**Installation** 5Gi

Suitable Location On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

**Extreme Temperature Performance** -30°C to 70°C / -22°F to 158°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year limited heavy commercial wear


**Price Range (\$ - \$\$\$\$)** \$

#### **CARTON SPECS**

**Packaging** 22.12-23.58 sq./ft. per carton

**Weight** 42.1-45 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS









## **DYNAMIX XL 3DGE**

## LUXURY VINYL















A floor for all seasons, this hybrid Luxury Vinyl Flooring is perfect for just about any location in your home. Beautifully designed with 3DGE painted bevel technology, this collection will make a statement in any location.

'For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.





#### PRODUCT SPECIFICATIONS

**Structure** Engineered luxury vinyl plank (1.8mm LVT + 5mm WPC + 1.5mm cork)

Wear Layer 0.55mm / 22mil

**Width** 7-7/8 inches / 199mm or 9 inches / 225mm

**Thickness** 5/16" / 8.3 mm

**Length** 60 inches / 1522 mm

**Edge Detail** 3DGE painted beveled edges

Finish Embossed Only (\*) / Embossed in register, UV coating

**Installation** 5G locking system, floated or glue down

**Suitable Location** On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

**Extreme Temperature Performance** -20°C to 50°C / -4°F to 122°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial wear

**Price Range (\$ - \$\$\$)** \$\$

#### **CARTON SPECS**

**Packaging** 22.07 or 26.09 ft2/CTN, 2.05 or 2.42m2/ctn

**Weight** 40 - 42lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:










## DYNAMIX XL CHEVRON

#### 1 021019

LUXURY VINYL







Experience modern design with Dynamix XL Chevron. Its pattern brings a fresh, contemporary vibe where beneath, cork provides comfort while our engineering promises durability and industry leading water resistance. Easy to install and maintain with an eco-friendly Floorscore certification. What else do you need to elevate your space?

\*For illustrative purposes only, each product contains its own distinct character & colour variation. Product dimensions are nominal and provided as a guideline. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

## DYNAMIX XL CHEVRON





#### LUXURY VINYL

#### PRODUCT SPECIFICATIONS

**Structure** Engineered luxury vinyl plank (1.8mm LVT + 5mm WPC + 1.5mm cork)

Wear Layer 0.55mm/22mil

Width 12"

**Thickness** 5/16" / 8.3mm

**Length** 28 5/16"

**Edge Detail** 4-sided microbevel

**Finish** Embossed or Embossed in register(\*), UV coated

**Installation** 5G locking system, floated or glue down

**Suitable Location** On, above or below grade

**Certification** Floorscore

**Radiant Heat** Suitable for use with hydronic systems

**Extreme Temperature Performance** -20°C to 50°C / -4°F to 122°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial

**Price Range (\$ - \$\$\$)** \$\$

#### **CARTON SPECS**

Packaging 23.68 sq./ft. per carton

Weight 43 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:









## DYNAMIX XL PLANK

#### hevond expectation







'For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



















# DYNAMIX XL PLANK LUXURY VINYL



#### PRODUCT SPECIFICATIONS

**Structure** Engineered luxury vinyl plank (1.8mm LVT + 5mm WPC + 1.5mm cork)

Wear Layer 0.55mm/22mil

**Width** 8" or 9"

**Thickness** 5/16" / 8.3mm

Length 60"

**Edge Detail** 4-sided microbevel

Finish Embossed(\*) or Embossed in register, UV coating

**Installation** 5G locking system, floated or glue down

**Suitable Location** On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

**Extreme Temperature Performance** -20°C to 50°C / -4°F to 122°F

Additional Features N/A

Warranty Limited lifetime residential & structural, 15-year heavy commercial wear

**Price Range (\$ - \$\$\$)** \$\$

#### **CARTON SPECS**

Packaging 22.07 - 26.09 sq./ft. per carton

**Weight** 41.25 - 42 lbs.

#### FLOOR MOULDINGS & TRIM OPTIONS:









## **SMARTDROP 7** LUXURY VINYL





The "need for speed" meets design in this ultimate loose lay Luxury Vinyl plank flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-

live-on floor. Available in 7"x 48" planks. \*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.







#### PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl plank

Wear Layer 0.3mm/12mil

Width 7"

Thickness 3/16" / 5 MM

Length 48"

**Edge Detail** Square Edge

Finish Embossed

**Installation** Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

**Extreme Temperature Performance** -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

Warranty Limited 25-year residential wear, 10-year limited light commercial wear

**Price Range (\$ - \$\$\$)** \$

#### **CARTON SPECS**

Packaging 23.35 sq./ft. per carton

Weight 40 lbs.








## **SMARTDROP** 9

#### beyond expectation

JZIOI

### LUXURY VINYL













The "need for speed" meets design in this ultimate loose lay Luxury Vinyl flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-live-on floor. Available in 9"x 60" planks.

\*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.





#### PRODUCT SPECIFICATIONS

Lightered taxary viriyi plank	Structure	Engineered luxury vinyl plank
-------------------------------	-----------	-------------------------------

Wear Layer 0.3mm/12mil

Width 9

Thickness 3/16" / 5 MM

Length 60"

**Edge Detail** Square Edge

Finish Embossed

**Installation** Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

**Certification** Floorscore

**Radiant Heat** Suitable for use with hydronic systems

**Extreme Temperature Performance** -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

Warranty Limited 25-year residential wear, 10-year limited light commercial wear

**Price Range (\$ - \$\$\$)** \$

#### **CARTON SPECS**

Packaging 30 sq./ft. per carton

Weight 56 lbs.








## **SMARTDROP ELITE 7**

LUXURY VINYL



The "need for speed" meets design in this ultimate loose lay Luxury Vinyl plank flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-live-on floor. Available in 7"x48" planks.







Rook









# SMARTDROP ELITE 7 LUXURY VINYL



#### PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl plank

Wear Layer 0.5mm/20mil

Width 7

Thickness 3/16" / 5 MM

Length 48"

**Edge Detail** Square Edge

Finish Embossed

**Installation** Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

**Extreme Temperature Performance** -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

**Warranty** Limited lifetime structural, 25-year residential wear, 15-year limited heavy

commercial wear

**Price Range (\$ - \$\$\$)** \$

#### **CARTON SPECS**

Packaging	23.35 sq./ft. per carton
rackaging	23.35 39.7 H. Per Carton

Weight 40 lbs.







## **SMARTDROP ELITE 9**

LUXURY VINYL





The "need for speed" meets design in this ultimate loose lay Luxury Vinyl flooring. Installs quickly over most subfloors, with no special tools, for an instant ready-to-live-on floor. Available in 9"x 60" planks.





Bateau

# SMARTDROP ELITE 9 LUXURY VINYL



#### PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl plank

Wear Layer 0.5mm/20mil

Width 9"

Thickness 3/16" / 5 MM

Length 60"

**Edge Detail** Square Edge

Finish Embossed

**Installation** Loose lay, glued down, perimeter glue or tape

Suitable Location On, above or below grade

**Certification** Floorscore

Radiant Heat Suitable for use with hydronic systems

\$

**Extreme Temperature Performance** -15°C to 80°C / 5°F to 176°F

Additional Features Solid fiberglass core delivers premium stability

Warranty Limited lifetime structural & 25-year residential wear, 15-year limited heavy

commercial wear

Price Range (\$ - \$\$\$\$)


#### **CARTON SPECS**

Packaging	30 sq./ft. per carton
i ackaging	30 39,7 Tt. pci cartori

Weight 55 lbs.








## **SMARTDROP ELITE TILE**

## FUZION

beyond expectation

## LUXURY VINYL
















\*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.

## SMARTDROP ELITE TILE



### LUXURY VINYL

#### PRODUCT SPECIFICATIONS

Structure	Engineered luxury vinyl tile
Wear Layer	0.5mm/ 20mil
Width	18" / 20" (*)
Thickness	3/16" / 5 MM
Length	36" /20" (*)
Edge Detail	Square Edge
Finish	Embossed
Installation	Loose lay, glued down, perimeter glue or tape
Suitable Location	On, above or below grade
Certification	Floorscore
Radiant Heat	Suitable for use with hydronic systems
Extreme Temperature Performance	-15°c to 80°c / 5°F to 176°F
Additional Features	Solid fiberglass core delivers premium stability
Warranty	Limited lifetime structural & 25-year residential wear, 15-year limited heavy commercial wear
Price Range (\$ - \$\$\$\$)	\$

#### **CARTON SPECS**

Packaging	26.91-36 sq./ft. per carton
Weight	40-66 lbs.







## **SMARTDROP ELITE +**

LUXURY VINYL





Just when you thought our most popular loose lay luxury vinyl plank couldn't get any better, we went ahead and added an eye catching bevel for even more realism! Installs quickly over most subfloors, with no special tools, for an instant ready-to-live-on floor. It's not just SmartDrop, it's SmartDrop Remastered.

\*For illustrative purposes only. Each product contains its own distinct character & colour variation. Speak to your retailer or Fuzion representative to ensure product satisfaction before purchase. Visit FuzionFlooring.com for more information on warranties, installation, care and maintenance.



# SMARTDROP ELITE +



#### PRODUCT SPECIFICATIONS

**Structure** Engineered luxury vinyl plank

Wear Layer 0.5mm/20mil

Width 7"

Thickness 3/16" / 5 MM

Length 48"

**Edge Detail** Beveled Edge

Finish Embossed, Embossed In Register (\*)

**Installation** Loose lay, glued down, perimeter glue or tape

**Suitable Location** On, above or below grade

**Certification** Floorscore

**Radiant Heat** Suitable for use with hydronic systems

**Extreme Temperature Performance** -15C-80C / 5F - 176F

Additional Features Solid fiberglass core delivers premium stability Ceramic Bead Coating for extra Scratch Resistance

Warranty Limited lifetime structural, 25-year residential wear

15-year limited heavy commercial wear

**Price Range (\$ - \$\$\$)** \$\$

#### **CARTON SPECS**

Packaging 23.33 sq./ft. per carton

Weight 39.5 lbs.



